

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Belfast Harbor							
4440	STEETS LEDGE MONUMENT LIGHT 4	44 25 12 N 68 58 18 W	FI R 4s	24	4	TR on white cylinder attached to square stone structure.	Higher intensity down bay.
	*						8/00
4445	Steets Ledge Bell Buoy 2					Red.	Replaced by nun when endangered by ice.
	*						8/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1597	- Buoy WR28						<i>Remove from list.</i>
							*
							8/00
8290	- Anchorage Buoy D	39 15 00 N 76 33 12 W				Yellow can.	
		*					8/00
Upper Chesapeake Channel							
<i>Channel buoys located 75 feet outside channel limit.</i>							
8320	- Lighted Buoy LP	39 02 36 N 76 20 48 W	Mo (A) W		6	Red and white stripes.	Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.
		*					8/00
8345	- Lighted Buoy 3	39 05 24 N 76 18 06 W	FI G 2.5s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					8/00
8360	- Lighted Buoy 4	39 05 42 N 76 17 54 W	Q R		4	Red.	Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.
		*					8/00
8405	- Lighted Buoy 3	39 09 06 N 76 21 06 W	FI G 4s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					8/00
8425	- Lighted Buoy 7	39 10 18 N 76 23 36 W	FI G 4s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					8/00
8430	- Lighted Buoy 8	39 10 00 N 76 23 30 W	FI R 4s		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					8/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Pooles Island Flats Channel							
8645	- Lighted Buoy 1	39 13 06 N 76 22 00 W	FI G 4s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
							* 8/00
Mobjack Bay							
14155	Pepper Creek Daybeacon 3	37 20 06 N 76 19 36 W				SG on pile.	8/00
20660	- Buoy 7	39 13 06 N 76 30 24 W				Green can.	8/00
		*					8/00
21160	- Buoy 8	39 15 18 N 76 32 12 W				Red nun.	8/00
		*					8/00
21165	- Buoy 10	39 15 12 N 76 32 00 W				Red nun.	8/00
		*					8/00
35495	- LIGHT 124						Remove from list.
							* 8/00
35910	- Daybeacon 234						Remove from list.
							* 8/00
35915	- Daybeacon 235						Remove from list.
							* 8/00
35920	- Daybeacon 236						Remove from list.
							* 8/00
35925	- Daybeacon 238						Remove from list.
							* 8/00
35930	- Daybeacon 239						Remove from list.
							* 8/00
35935	- Buoy 241						Remove from list.
							* 8/00
35940	- Buoy 243						Remove from list.
							* 8/00
35945	- Daybeacon 245						Remove from list.
							* 8/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35950	- Buoy 246 Marks shoal.						Remove from list.
							* 8/00
35955	- Buoy 247						Remove from list.
							* 8/00
35960	- Buoy 248						Remove from list.
							* 8/00
35965	- Buoy 249						Remove from list.
							* 8/00
35970	- Buoy 250						Remove from list.
							* 8/00
35975	- Buoy 251						Remove from list.
							* 8/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10680.5	- LIGHT 13A	25 48 36 N 80 10 12 W	FI G 4s	16	3	SG on pile.	
							8/00
*10845.5	- Daybeacon 11					SG on pile.	
							8/00
*10850.5	- Daybeacon 13					SG on pile.	
							8/00
*10865.5	- Daybeacon 17					SG on pile.	
							8/00
10870	- LIGHT 18	25 39 18 N 80 10 48 W	FI R 2.5s	16	4	TR on pile.	
	*	*	*	*	*		8/00
10880	- LIGHT 20	25 39 24 N 80 11 06 W	FI R 2.5s	16	4	TR on pile.	
	*	*	*	*	*		8/00
30525	- Daybeacon 21A						Remove from list.
							* 8/00
30535	- Daybeacon 24						Remove from list.
							* 8/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*31965.1	- Lighted Buoy 2		FI R 4s		4	Red.	8/00
*31965.2	- Buoy 4					Red.	8/00
31970	- Lighted Buoy 5		FI G 2.5s		4	Green.	8/00
	*		*				8/00
31975	- Lighted Buoy 6 On west side of shoal.		FI R 2.5s		3	Red.	8/00
	*						8/00
31995	- Lighted Buoy 7		FI G 2.5s		4	Green.	8/00
	*		*				8/00
60845	- LIGHT 24		Q R	16	3	TR-TY on pile.	8/00
					*		8/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8430	- Lighted Buoy 10 150 feet outside channel limit.	30 07 54 N 88 56 24 W	FI R 2.5s		4	Red.	8/00
		*					8/00
10565	- Lighted Buoy 1 200 yards outside channel limit.	29 26 24 N 88 56 48 W	FI G 4s		4	Green.	8/00
		*					8/00
10920	- LIGHT 81		FI G 4s	17	4	SG on pile.	8/00
				*		*	8/00
24010	UPPER RED LIGHT BEND INBOUND RANGE REAR LIGHT 1022 yards, 000.5° from front light.		Oc R 4s	145		KRW on skeleton tower on concrete block.	Visible 2° each side of rangeline Lighted throughout 24 hours.
	*						8/00
24245	UPPER CROSSOVER INBOUND RANGE REAR LIGHT 140 yards, 322.2° from front light.		Iso R 6s FI R 4s	60		KRW on skeleton tower on piles.	Vertical light pipe in center stripe of daymark. Passing light visible all around.
	*						8/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5905	- Channel Lighted Buoy 8	38 01 48 N 122 22 18 W	FI R 4s		4	Red.	Ra ref.
							* 8/00
6222	GLEN COVE MARINA ENTRANCE LIGHT 1	38 04 00 N 122 12 48 W	FI G 4s	10		On pile.	Private aid.
			*	*			8/00
6223	GLEN COVE MARINA ENTRANCE LIGHT 2		FI R 4s	10		On pile.	Private aid.
			*	*			8/00
28120	WAILOA BASIN CHANNEL LIGHT 1	19 43 30 N 155 04 18 W	FI G 4s	12	4	SG on pile.	
		*					8/00
ISLAND OF GUAM (Marianas) (Chart 81048)							
Guam Island							
<i>The Marianas Islands have been converted to the IALA Maritime Buoyage System for Region A.</i>							
30660	RITIDIAN POINT LIGHT	13 39 00 N 144 51 42 E	FI W 6s	573	9	NB on pile. 20	
		*					8/00
30685	Orote Point Light	13 26 48 N 144 37 12 E	FI W 5s	226	15	NB on concrete tower. 23	Obscured from 227° to 358°.
		*					8/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.